


**THIELE**

Twin-strand forged link 200 x 60 x 30

- with side slot
- with anti-rotation option: A4, see page 38

All dimensions given in mm

p	g	b	b ₁	b ₂	b ₃	d	s	s ₁
200	60	30	32	66	97	30	20	15




Dimension z corresponds to the thickness of the flight bar.

200 x 60 x 30






Ident. no.	Article no.	Number	Material Designation	Heat treatment	Breaking strength F _{min} (kN) without bushing with bushing	Weight (kg)
970 08	F28270	1.0412	27MnSi5	tempered	750 -	3,5
970 08	F28270B	1.0412	27MnSi5	tempered	- 590	3,5
970 42	F28271	1.6758	23MnNiMoCr54	tempered	960 -	3,5
970 42	F28271B	1.6758	23MnNiMoCr54	tempered	- 755	3,5
970 31	F28548	1.7147	20MnCr5	case-hardened	655 -	3,5

Twin-strand forged link 200 x 60 x 34

- with side slot
- with anti-rotation option: A4, see page 38



x 60 x 34





روشن قرآن: فوری

23MnNiMoCr54 : 6000

5449C : Gen

CNC
3D printing

[illegible]




SECTION_A.A

روش تولید: فرج

جنس: 23MnNiMoCr54

سختی: 54HRC

روش ماشینکاری: CNC



VIEW_B.B

SAVEH WHITE CEMENT CO.

سیمان سفید سلو

LINK

QUENCHING TANK (045-0


NAME DATE MATERIAL:

DESIGNED

DRAWN A.HADDAD 15.Dec.96 WEIGHT:

CHECKED M.AMIRI 15.Dec.96 QUANTITY: 201


DWG NO: SLM.D_04503001 SCALE: 1:1



View A-A

Sec C-C

Sec B-B



روش تولید: فورج
جنس: 23MnNiMoCr54
سختی: 54HRC
روشن ماشینکاری: CNC

دفتر فنی و برنامه ریزی
شرکت سیمان سفید ساوه

TITLE: QUENCHING TANK-

ITEM :

NAME

APR Eftechi

SCANNER

Date

1402/08/15

Revision Date

1402/08/15

CHKD

Mt. Azadghali

APPROV

Mt. Behdavarvand

MFG

QA

Description:

DWG NO:

ESWC14501001-02

REVISION: 1

SCALE: 1:1

SHEET 1 OF 1

QUENCHING TANK-

ESWC14501001-02

REVISION: 1

SCALE: 1:1

SHEET 1 OF 1

QUENCHING TANK-

ESWC14501001-02

REVISION: 1

SCALE: 1:1

SHEET 1 OF 1